

**verilux**<sup>®</sup>  
LIFE IN A BETTER LIGHT<sup>®</sup>



**ReadyLight**<sup>™</sup>

Solar-charging, earth friendly, flashlight

**VB03**



Dear Customer,

Thank you for purchasing the ReadyLight™. You have received an innovative and quality manufactured product, backed by a one-year limited warranty. As a Verilux® customer, your satisfaction means everything to us. We look forward to serving you now and in the future.

Many other healthy lighting products are available through our catalog and online. Visit us on the web at [www.Verilux.com](http://www.Verilux.com) to request a free catalog and learn more about all our quality Verilux® products, or call our toll-free number 1-800-454-4408.

Have a Bright Day!

A handwritten signature in black ink that reads "Nicholas Harmon". The signature is written in a cursive, flowing style.

Nicholas Harmon  
President and CEO

## FEATURES

- Oversized solar panel lasts up to 20 years and rapidly recharges flashlight for up to 4 hours of bright, Natural Spectrum® daylight illumination
- 6 super-bright LED lights provide a wider beam than other conventional flashlights, while eliminating the need to frequently dispose of expensive batteries
- Night glow strip around the lens allows you to find your ReadyLight™ even in total darkness
- Ergonomic shape with ruggedized ABS body to provide years of protection from shock or water damage
- Built-in carry hook frees hands during emergency operations
- NiMH batteries are environmentally friendly and fully replaceable
- 1-year limited warranty from Verilux®, the leader in Natural Spectrum® full spectrum illumination

## BATTERY INSTALLATION

***When replacing batteries, please ensure that you use only 3 AA rechargeable batteries.***

Using a Philips head screwdriver, unscrew the battery compartment door on the side of the ReadyLight™ (Fig.1) Remove side panel. Take out any dead batteries and dispose of in a proper manner.

Following the indications on the inside of the battery compartment, insert 3 AA rechargeable batteries into place. Please make sure that the "+" and "-" are facing in the right direction, otherwise the ReadyLight™ will fail to operate.

Once batteries are in, re-attach the battery compartment panel and tighten the screw securely.

**Place the ReadyLight™ in an area with direct sunlight. Unit will be fully charged after 8 hours, but you may use the unit at anytime.**




Fig. 1

# ONE YEAR LIMITED WARRANTY

**ATTENTION!** ONCE OPENED, PLEASE **DO NOT** RETURN THIS PRODUCT TO THE STORE WHERE IT WAS PURCHASED FOR REPAIR OR REPLACEMENT!

Many questions may be answered by visiting [www.Verilux.com](http://www.Verilux.com), or you may call our customer service department at 1-888-544-4865.

This limited warranty is provided by:

Verilux, Inc., 340 Mad River Park, Waitsfield, VT 05673

Verilux® warrants this product to be free from defects in material and workmanship for a period of one year from the date of the original retail purchase. During the limited warranty period, Verilux, Inc. will, at its option, repair or replace defective parts of this product, at no charge to the customer, subject to the following limitations. This limited warranty does not include any postage, freight, insurance or delivery fees. This warranty does not cover damage, defect or failure caused by or resulting from accident, external destruction, alteration, modification, abuse, misuse, or misapplication of this product.

If, during the first year of ownership, this product fails to operate properly, it should be returned as specified below:

Please pack the defective product in its original protective packing and box, with a copy of your sales receipt showing Date of Purchase, along with \$6.95 (check or money order to cover shipping and handling), and send to:

**For U.S. Postal Service Only:**

**Verilux Warranty  
Service Center, c/o WTB**  
P.O. Box 119,  
West Redding, CT 06896

**For Fed Ex & UPS Only:**

**Verilux Warranty  
Service Center, c/o WTB**  
32 Henry Street, Bldg 17A,  
Bethel, CT 06801

Please allow 4-6 weeks before you receive the repaired or replaced product.

**ATTENTION:** When returning a product, be aware that damage during shipping is the responsibility of the purchaser and will void any warranty claim. We recommend that you insure the shipment by shipper when returning this product or any parts. Be sure to return product in original packaging.

Due to ongoing improvements, actual product may have slight variations from the product described in this manual.

Printed in China for Verilux, Inc.